




Gel Fasteners

Exporters / Importers / Distributors / Stockist

ISO Certified 9001:2015



**CURRENT
PRICE LIST**

FOR HIGH TENSILE FASTENERS

www.gelfasteners.com

FIX IT - TIGHT IT - FORGET IT

COMPANY HISTORY AND PROFILE



Quality Assurance:

At GEL FASTENERS, we prioritize quality and ensure that all our products meet the highest standards. We source fasteners from reputable manufacturers who adhere to strict quality control procedures. Additionally, our in-house quality assurance team conducts thorough inspections and tests on all incoming and outgoing products to guarantee their reliability and durability.

IT ALL STARTED IN THE YEAR 1990 WITH A DREAM OF OUR MANAGING DIRECTOR MR ATUL DOSHI We would like to introduce our company, GEL FASTENERS (GFL 1) a leading exporter, importer, distributor, and stockist of fasteners. With years of experience in the industry, we have established ourselves as a reliable and trusted source for all your fastener needs. Our extensive range of fasteners caters to various industries, including construction, automotive, manufacturing, and more.

Importer Services:

We also offer importing services, allowing us to source high-quality fasteners from reputable manufacturers worldwide. We have established strong relationships with trusted suppliers, enabling us to provide our clients with a wide range of fasteners that meet their specific requirements. Our importing process involves strict quality control measures to ensure the products we import meet the highest standards.

Distributor And Stockist Services:

As a distributor and stockist, we maintain a large inventory of fasteners to cater to the immediate needs of our clients. Our well-organized warehouse ensures that we have a wide range of fasteners readily available for quick dispatch. We understand the importance of timely delivery, and our efficient distribution network ensures that your orders are processed and delivered promptly. Our current warehouse is 10 000 square feet and 21,000 square feet under construction

Product Range:

Our product range includes various types of fasteners, such as bolts, nuts, screws, washers, rivets, anchors, and more. We offer fasteners in different materials, including stainless steel, carbon steel, alloy steel, and non-ferrous metals. Whether you need standard or customized fasteners, we have the capability to fulfill your requirements.

Customer Satisfaction:

We place great emphasis on customer satisfaction and strive to provide excellent service at every step. Our dedicated customer support team is available to assist with any queries or concerns you may have. We value long-term relationships with our clients and aim to exceed their expectations by delivering superior products and services.

Conclusion:

As a leading exporter, importer, distributor, and stockist of fasteners, Fasteners Ready Stock is your reliable partner for all your fastening needs. With our extensive product range, commitment to quality, and exceptional customer service, we are confident in our ability to meet and exceed your expectations. Contact us today to discuss your requirements or to place an order.



OUR PRODUCTS



HEXAGONAL HEAD SCREWS / BOLTS



SOCKET BUTTON HEAD CAP SCREWS



SOCKET COUNTERSUNK SCREWS



SOCKET HEAD CAP SCREWS



HEXAGONAL NUTS



HEX FLANGE SCREWS



SOCKET SET SCREWS



SPRING WASHER



NYLOCK NUTS



WING NUTS



DOME NUTS



THRU BOLTS

FIX IT - TIGHT IT - FORGET IT



OUR WAREHOUSE



ALL (GFL1) FASTENERS ARE IN LINE WITH QUALITY CONTROL ORDER FROM GOVERNMENT OF INDIA.



SOCKET HEAD CAP SCREWS DIN 912 GRADE 12.9

**METRIC
SERIES**

DIA	M2	M2.5	M3	M4	M5	M6	M8	M10	M12	M14	M16
LEN.	KEY M1.5	KEY M2	KEY M2.5	KEY M3	KEY M4	KEY M5	KEY M6	KEY M8	KEY M10	KEY M12	KEY M14
4	580	625	305								
5	348	425	207	190							
6	369	416	181	190	172	252					
8	396	416	160	160	172	208					
10	438	458	145	141	136	194	400				
12	489	519	145	145	138	194	427	713			
14			216	255	184	229	385	713			
16	538	558	160	164	145	204	406	713	1218		
18			231	290	262	232	455	713	1218		
20	574	597	170	189	170	216	427	686	1020		
22				303	282	275	476	802	1198		
25	689	798	173	200	184	255	455	732	1118	3042	3124
30			225	231	216	279	507	858	1173	2802	2583
35			275	282	257	315	539	913	1239	2263	2712
40			320	316	277	352	597	971	1338	2320	2912
45			467	362	317	376	652	1070	1470	2337	3083
50			615	431	348	413	714	1159	1592	2449	3231
55				666	421	473	830	1241	1776	2628	3549
60			872	1132	551	552	858	1350	1847	2806	3549
65			976	1132	794	605	944	1450	1980	2997	3833
70				1186	954	615	1062	1555	2102	3189	4050
75				1384	1132	744	1179	1606	2223	3342	4209
80				2280	1199	863	1442	1687	2345	3572	4642
85							1522	1778	2520	3780	4862
90				2490	1606	1026	1573	1822	2690	4018	5099
95							1615	2056	2878	4210	5468
100				2600	2216	1317	1617	2056	2878	4210	5468
105							2172	2252	3247	4720	5905
110				2840	2750	2064	2172	2252	3247	4720	5905
120					3014	2649	2329	3181	3667	7334	6405
130					3756	2800	2965	3570	4378	8335	7050
140					4192	3890	3173	4046	4944	8544	7397
150					4958	4466	3420	4358	5823	9338	8176
160					6416	7513	4466	6027	7620	11321	11681
170					6489	8259	4963	6562	7657	12517	12198
180					7254	8800	5816	7373	8893	12836	12915
190					8020	9899	6698	8263	9064	14165	13769
200					8786	9899	8112	9660	10202	16324	14207
210									14298	18257	25163
220									17746	19861	25163
230										20753	26472
240									21412	21420	29370
250									25270	22099	33529
260									25220		38727
270									32710		40185
280									32710		43345
290											46134
300									35329		48383

RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : Generally conforming to IS : 2269, DIN 912, ISO:4762
2. Threads: ISO Metric (Coarse Series) 4g6g as per IS:4218, ISO:261, ISO:965
3. Material : High Grade Alloy Steel
4. Shaded sizes are full Threaded.



SOCKET HEAD CAP SCREWS DIN 912 GRADE 12.9

**METRIC
SERIES**

DIA	M18	M20	M22	M24	M27	M30	M33	M36	M42
LENGTH	KEYM14	KEYM17	KEYM17	KEYM19					
30	7721								
35	7781	6532							
40	6353	6064		11230					
45	6597	6201		11262					
50	6952	6367	10760	12735	25987	25442			
55	7245	6467				25643			
60	7385	6626	11937	13970	26085	25751			
65	7687	6928							
70	7779	7226	12966	14203	22742	25751	42214	58949	
75	8153	8050	13902	15043	23912	25829	44214	58949	
80	8531	8130	14169	15928	24800	27858	47685	55284	
85	9703	8590							
90	9703	8590	15774	16633	27311	29140	51757	60351	
95	10793	9457							
100	10793	9457	16976	16147	29422	29199	54026	62051	150039
105	12167	10166							
110	12167	10166	18848	19354	30952	32998	56975	65429	
120	13540	12257	20452	20130	32742	32859	62213	68252	165484
130	14350	13100	25412	21980	36875	35140	65123	70507	
140	14350	13968	29647	23700	38206	36510	69156	77846	187507
150	17026	14837	39530	25167	38699	38708	72612	80341	
160	21823	16909	51292	30477	61985	59992	96123	110277	209530
170	23323	18447	54571	32215	69457	66272	105720	119624	
180	24774	21922	54824	34086	69457	66272	105720	119624	231553
190	27274	23860	58298	37963	94853	72209	115298	129322	
200	29601	26507	58825	41706	94853	72209	115298	129322	248706
210		28507		42315	94125	89597	144026	156714	
220		30405		46800	94125	89597	144026	156714	
230		39849		49513	104526	96238	154261	179321	
240		39849		49513	104526	96238	154261	179321	
250		47836		50715	112321	102126	160412	172422	
260		47836		53333	112321	102126	160412	172422	
270		52102		54500	121516	109588	170315	183808	
280		56366		55753	129146	109588	170315	183808	
290		61471		60900	129146	116572	184439	195274	
300		66577		67149	129146	116572	184439	195274	
320		73189		70400		159300		229132	
340		79800		74650		174150		229808	
350		84000		80948		238096		323670	
360						248385		323670	
380						268168		344824	
400						302964		381069	
420						319526		402225	
460						336088		423380	
480						352326		442535	
500						368563		465219	



SOCKET HEAD CAP SCREWS BS 2470 GRADE 12.9

**INCH
SERIES
BSW**

DIA	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1
LENGTH	KEY 3/32"	KEY 5/32"	KEY 3/16"	KEY 7/32"	KEY 5/16"	KEY 5/16"	KEY 3/8"	KEY 1/2"	KEY 9/16"	KEY 9/16"	KEY 5/8"
1/4											
3/8	198	221	241								
1/2	198	221	238	403	606						
5/8	231	221	238	403	652						
3/4	231	235	256	416	534		1385				
1	245	264	310	465	607	1244	1385	3052			
1.1/4	307	332	349	498	704	1382	1555	2865	5259		
1.1/2	376	380	402	584	802	1491	1725	3012	6048	12350	
1.3/4	525	459	455	640	862	1606	1895	3572	7371	16080	
2	579	502	516	693	984	1834	2066	3600	6700	16185	
2.1/4		525	716	871	1093		2308	3645	7266		
2.1/2		1034	716	978	1178	2220	2503	3888	7266	18055	
2.3/4		1176	795	1276	1336		2673	4253	7886		
3		1590	1000	1276	1398	2808	2843	4496	7886	21009	25091
3.1/4			1239	1611	1824		3098	4739	8510		
3.1/2			1456	1611	1824	3738	3366	5103	8510	21009	29440
4			2012	2016	2051	4329	3584	5893	9332	24694	30360
4.1/2				3230	3098		4314	7109	10936	27577	35626
5				4072	3780		4678	7777	12152	31443	35637
5.1/2				4696	4268		5286	8628	13911		
6				5430	4636		5964	9478	16791	54580	41740
6.1/2					10635		9200	14255	19534		
7					10635		9675	15231	22275	61449	
7.1/2							9987	18894	26174		
8							11230	20532	26174	66495	54747
9							19134	22847	41600		126927
10							22260	31684	59248		135978
12							33345	41677			


RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : Generally conforming to BS : 2470
2. Threads: BS WhitworthFine, Medium class as per BS:84
3. Shaded sizes are full Threaded.

Size (mm)	Rate
M3	65
M4	65
M5	70
M6	75
M8	128
M10	248
M12	438
M14	625
M16	750
M18	1375
M20	1625
M22	2250
M24	2625

UNC / BSW	Rate
3/16"	-
1/4"	100
5/16"	150
3/8"	250
7/16"	500
1/2"	500
5/8"	875
3/4"	1500
7/8"	2500
1"	2500

HEXAGONAL NUT DIN 934 & MARK 8.8




RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : For Nuts With Metric Threads IS : 1364, ISO 4032
2. Threads: ISO Metric 6H as per IS:4218, ISO:261, ISO:965



SOCKET SET SCREWS KNURLED CUP POINT DIN 916




**METRIC
SERIES**


DIA	M3	M4	M5	M6	M8	M10	M12	M16
LENGTH	KEY M1.5	KEY M2	KEY M2.5	KEY M3	KEY M4	KEY M5	KEY M6	KEY M8
3	100							
4	101	100	312					
5	102	101	89	312				
6	103	106	91	95	323			
8	113	107	100	104	136	385		
10	117	113	110	123	140	210	653	
12	147	120	113	144	147	220	345	
16	314	177	163	164	200	342	429	1113
20	460	281	214	196	246	461	543	1207
25		402	271	217	314	547	707	1460
30		587	430	497	480	602	1012	1918
35			586	570	646	877	1367	2258
40			660	699	837	972	1569	2634
45				917	1110	1800	2951	3278
50				1079	1201	1968	3331	4888
60				1724	1947	2602	4094	

RECOMMENDED SALE PRICE FOR 100 PCS.

*** ALSO AVAILABLE CONE POINT, FLAT POINT, DOG POINT (PRICES ON REQUEST)**



SOCKET SET SCREWS KNURLED CUP POINT DIN 916



**INCH
SERIES
BSW**

DIA	3/16	1/4	5/16	3/8	1/2	5/8	3/4
LENGTH	KEY 3/32	KEY 1/8	KEY 5/32	KEY 3/16	KEY 1/4	KEY 5/16	KEY 3/8
3/16	114	333					
1/4	114	113	345				
5/16	114	123	131	384			
3/8	114	126	134	219			
1/2	138	146	193	266	550		
5/8	236	186	224	338	650	1176	
3/4	253	228	297	404	721	1387	2479
1	322	320	473	560	872	1773	2779
1.1/4		507	606	879	1032	2719	
1.1/2		629	871	1064	1575	3263	

RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : As per GFL1 specifications (Please refer to GFL1 Designer's Manual)
2. Threads: ISO Metric, 4g6g as per IS:4218, ISO:261, ISO:965
3. Material : High Grade Alloy Steel



SOCKET COUNTERSUNK SCREWS DIN 7991 GRADE 10.9

**METRIC
SERIES**

DIA	M2	M2.5	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24
LEN- GTH			KEY M2	KEY M2.5	KEY M3	KEY M4	KEY M5	KEY M6	KEY MS	KEY M12		
3	361											
4	371	342										
5	377	346										
6	383	352	167	146								
8	392	355	174	146	175	222						
10	398	361	174	155	168	209	594					
12	408	371	186	155	168	197	366					
16	433	383	189	166	176	214	386	649				
20	452	414	236	175	193	235	425	690	1427			
25			313	205	225	263	491	786	1222	4610		
30			452	239	261	331	538	904	1463	4610		
35			469	568	282	343	626	1006	1571	4867		
40			488	608	355	468	679	1151	1744	5124	13778	
45			505	608	509	721	1068	1440	2016	5381	14103	
50			558	721	573	775	1112	1560	2042	5648	14428	22596
55				923	701	901	1306	1700	2548	5969	15078	20060
60				1004	790	1117	1660	1918	2566	6288	15078	19569
65					910	1463	1703	2068	3194	6823	15735	21559
70					1010	1720	2036	2218	3557	7253	15735	21559
75					1260	1905	2816	3501	3822	7579	16385	24426
80						2107	3594	3832	4134	8147	17233	24426
90						2640	4176	4482	4784	9757	19026	25942
100						3020	4913	5241	5538	10930	20815	27936

RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : Generally confirming to IS:6761, DIN 7991
2. Threads: ISO Metric, 4g6g as per IS:4218



SOCKET COUNTERSUNK HEAD SCREWS INCH SERIES BSW

**INCH
SERIES
BSW**

DIA	1/4	5/16	3/8	1/2	5/8	3/4
LENGTH	KEY 5/32	KEY 3/16	KEY 7/32	KEY 5/16	KEY 3/8	KEY 1/2
3/8"	475					
1/2"	467	624				
3/4"	501	609	950	2239		
1	572	696	1098	2691	5012	
1.1/4"	653	814	1264	2990	4929	
1.1/2"	913	1115	1726	3377	5520	9661
2"	1060	1478	2166	3903	6112	11636
2.1/2"				4370	8191	
3"				4896	9649	

RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : Generally confirming to IS:6761, DIN 7991
2. Threads: ISO Metric, 4g6g as per IS:4218
3. Material : High Grade Alloy Steel RC-33-38



SOCKET BUTTON HEAD CAP SCREWS ISO 7380 GRADE 10.9

**METRIC
SERIES**

DIA	M3	M4	M5	M6	M8	M10	M12
LENGTH	KEY M2	KEY M2.5	KEY M3	KEY M4	KEY M5	KEY M6	KEY M8
4	238	227					
5	238	227					
6	220	220	252				
8	258	161	252	251			
10	276	161	208	228	371		
12	307	170	208	251	368		
16	335	184	220	262	445	785	
20	377	198	226	290	462	828	1860
25	412	234	274	334	539	897	1896
30	479	295	326	383	580	1000	1930
35		328	341	408	612	1103	2138
40		359	380	464	720	1264	2383
45			509	529	1014	1390	2610
50			527	575	1070	1703	2837
60					1430		

RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : Generally confirming to ISO:7380
2. Threads: ISO Metric, 4g6g as per IS:4218, ISO 261, ISO 965

METRIC SERIES

Size	Price
1	577
1.5	477
2	477
2.5	477
3	493
4	762
5	950
6	1892
8	3273
10	5212
12	11946
14	17523
17	29300
19	39600

INCHES SERIES

Size	Price
1/16	477
5/64	477
3/32	477
1/8	498
5/32	814
3/16	881
7/32	1326
1/4	2036
5/16	3305
3/8	6253
1/2	15774

HEXAGONAL WRENCHES

DIN 911 & BS - 2470



1. Specifications :
 - a. Inch Series : BS:2470
 - b. Metric Series : IS:3082, DIN 911
 - c. Material : High Grade Alloy Steel

RECOMMENDED SALE PRICE FOR 100 PCS.



NYLOCK NUTS

DIN 982



Size (mm)	Rate
M3	113
M4	80
M5	90
M6	115
M8	175
M10	248
M12	438
M14	625
M16	750
M18	1375
M20	1625
M22	2250
M24	2625

RECOMMENDED SALE PRICE FOR 100 PCS.

BSW	Rate
3/16	-
1/4	158
5/16	200
3/8	350
7/16	750
1/2	775
5/8	1500
3/4	2500
7/8	4750
1"	5750

DIN 985 IS AVAILABLE ON REQUEST



NUT INSERTS (RIVETNUTS) STANDARD

PRICE FOR 100 PCS.

SIZE	RATES
M 4	184.00
M 5	156.00
M 6	174.00
M 8	325.00
M 10	396.00
M 12	720.00

RECOMMENDED SALE PRICE FOR 100 PCS.



CAGENUTS STANDARD

PRICE FOR 100 PCS.

Size	Rate
M 5	320
M 6	390
M 8	750
M 10	1500

Gel Fasteners

FIX IT • TIGHT IT • FORGET IT

SOLD TO



23 COUNTRIES



FLANGE NUTS (ZP) DIN 6923

(PRICE PER 100 PCS.)

Size	Rate
M 3	-
M 4	83
M 5	95
M 6	113
M 8	212
M 10	425
M 12	1000
M14	2000
M 16	3000

HEX WELD NUTS DIN 929

(PRICE PER 100 PCS.)



Size	Rate
M 4	84
M 5	84
M 6	120
M 8	200
M 10	400
M 12	600

COLD FORGED WING NUTS (ZP) DIN 315

(PRICE PER 100 PCS.)



Size	Rate
M 3	-
M 4	350
M 5	375
M 6	400
M 8	587
M 10	938
M 12	2188
M 16	6250




CAP NUTS DOME NUTS (ZP) DIN 1587

(PRICE PER 100 PCS.)

Size	Rate
M 3	-
M 4	187
M 5	213
M 6	263
M 8	425
M 10	875
M 12	1125
M 16	2500

NYLOCK FLANGE LOCK NUT DIN 6926

(PRICE PER 100 PCS.)



Size	Rate
M 5	438
M 6	456
M 8	894
M 10	1339
M 12	1785
1/4"	625




TEE NUTS (ZP)

(PRICE PER 100 PCS.)

Size	Rate
M 5	450
M 6	325
M 8	650

'GFL1' JUMBO BRAND

THRU BOLD (WEDGE ANCHOR) STANDARD (ZP)



Size	Rate	Size	Rate
M6 x 50	PRICE ON REQUEST	M16 x 100	PRICE ON REQUEST
M6 x 75		M16 x 125	
M8 x 75		M16 x 150	
M8 x 100		M16 x 200	
M10 x 75		M16 x 250	
M10 x 100		M16 x 300	
M10 x 125		M20 x 150	
M10 x 150		M20 x 200	
M10 x 200		M20 x 250	
M12 x 75		M20 x 300	
M12 x 100		M24 x 150	
M12 x 125		M24 x 200	
M12 x 150		M24 x 250	
M12 x 200		M24 x 300	

SMALL COLOURED BOX PACKING
RATE PER EACH (NETT PRICE)

DROP IN ANCHORS (TS) ZP



(NETT PRICE)

Size	Rate / Pc. (Rs.)
M 6	PRICE ON REQUEST
M 8	
M 10	
M 12	
M 16	
M 20	

SMALL COLOURED BOX PACKING

HEX FLANGE SCREWS DIN 6921 GRADE 8.8



(PRICE PER 100 PCS.)

Dia Length	M5	M6	M8	M10	M12	M16
10	315					
12	290	377				
16	315	410	816			
20	335	436	871	1326		
25	365	475	949	1456	2405	
30	400	520	1014	1593	2600	
35			1106	1755	2795	
40	470	640	1170	1820	2958	6370
50	550	689	1326	2113	3380	7150

Spring Washer Hardness HRC=45-55 (Full Gauge)

ALL NETT PRICES

Sr#	Size inMM	DIN 7980 (Square-Section)	DIN 127 B (Flat-Section)
		 Spring Lock Washer / 100 pcs	 Spring Lock Washer / 100 pcs
1	3 MM	6.50	7.20
2	4 MM	8.00	8.20
3	5 MM	9.60	11.00
4	6 MM	11.00	16.60
5	7 MM	16.00	20.00
6	8 MM	17.20	28.00
7	10MM	27.50	41.00
8	12MM	32.50	60.00
9	14MM	55.00	100.00
10	16MM	89.30	137.00
11	18MM	128.00	207.00
12	20MM	238.00	302.00
13	22MM	268.00	336.00
14	24MM	345.00	488.00
15	27MM	390.00	535.00
16	30MM	600.00	863.00
17	33MM	710.00	1380.00
18	36MM	1030.00	1450.00
19	39MM	1115.00	1520.00

RECOMMENDED SALE PRICE FOR 100 PCS.



HEXAGONAL HEAD SCREWS / BOLTS DIN 933/931 GRADE 8.8

**METRIC
SERIES**

DIA LENGTH	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24
8	209	250	166									
10	185	126	140	245								
12	185	128	140	245	546							
16	203	134	140	255	528	782						
20	211	154	156	283	534	825						
25	227	168	182	320	591	842	1326	1769				
30	270	200	217	357	649	925	1333	1769				
35	330	244	264	393	706	1008	1448	1923	3394	3923	4991	5896
40	354	262	283	430	764	1091	1563	2076	3632	3923	4991	5896
45	413	306	296	467	821	1173	1679	2237	3876	4173	5290	6244
50	455	336	332	502	879	1254	1794	2371	4121	4293	6853	6868
55		396	390	556	967	1337	1907	2533	4244	4600	7267	7225
60		420	425	594	1029	1420	2021	2693	4244	4888	7659	7622
65		660	474	632	1088	1503	2138	2833	4464	5177	8054	8013
70		773	521	670	1147	1586	2250	2995	4677	5464	8446	8389
75		886	568	708	1207	1669	2347	3159	4911	5754	8828	8766
80		1169	614	746	1266	1750	2463	3314	5150	6042	9246	9124
90			711	889	1386	1917	2693	3616	5589	6618	10081	9843
100			809	1026	1522	2083	2926	3912	6031	7194	10851	10668
110				1432	2140	3058	4293	5362	7405	8319	11660	12512
120				1562	2294	3283	4596	5743	7891	8933	12500	13490
130				1683	2453	3503	4914	6105	8446	9489	13242	14325
140				1785	2609	3720	5226	6516	8929	10107	14077	15105
150				1873	2788	4058	5541	6919	9413	10723	14881	15972
160					2928	4221	5714	8207	11146	14228	17500	21084
170					3037	4514	5887	8690	11667	14957	18421	22152
180					3316	4779	6067	8978	12238	15625	19231	23649
190					3451	5000	9167	9448	12868	16355	20115	24306
200					3611	5242	9611	9673	13359	16990	21084	25362

RECOMMENDED SALE PRICE FOR 100 PCS.

1. Specifications : Generally conforming to IS : 1364, ISO:4014, DIN 931/933
2. Threads: ISO Metric 6g as per IS:4218
3. Material : High Grade Carbon Steel

SELECTOR GUIDE

Selector Guide	Tensile Strength Property Class		Size Range				Equivalent Standards					
			Diameter		Length							
	N/mm ² Min.	Psi Min.	Metric	Inch*	Metric	Inch*	IS	ISO	DIN	BS	ANSI/ASME	JIS
Socket Head Cap Screw	(1220) (12.9)	1,90,000	M5 to M24	3/16 to 1"	4mm to 300mm	3/8" to 10"	2269	4762	912	FOR INCH SERIES BS.2470	B18.3.1 M/ B18.3	B1176
Socket Low Head Cap Screw	(1040) (10.9)	---	M5 to M12	---	10mm to 80mm	---	---	---	6912 7984		---	---
Socket Counter Sunk Head Screw	(1040) (10.9)	---	M5 to M30	1/4" to 1"	10mm to 250mm	1/2" to 4"	6761	10642	7991		B18.3.5M/ B18.3	---
Socket Button Head Cap Screw	(1040)	(10.9)	M5 to M12	---	10mm to 50mm	---	---	7380	9427		B18.3.4M/ B18.3	---
Socket Set Screws Knurled Cap Point	Hardness HRC 45 Min.		M3 to M12	3/16" to 1/2"	3mm to 55mm	3/16" to 1.1/2"	6094	4029	916		B18.3.6M/ B18.3	B 1177
Socket Set Screws Special Points	Hardness HRC 45 Min.		M3 to M16	3/16" to 1/2"	3mm to 55mm	3/16" to 1.1/2"	---	4026 4027 4028	915 916 914		B18.3	
Hex Head Bolts/Screws	800/830 (8.8) 1,040 (10.9)	Grade R, S, V	M5 to M42	1/4" to 1"	8mm to 400mm	3/8" to 1.1/2"	1364	4014 4017	931 933		BSF/BSW BS:1083	B18.21
Hex Nuts	1040 (Proof Stress) (10)	Grade 8 Grade R Grade 5	M4 to M42	5/16" to 1"	---	---	1364	4032	934	UN/UNF BS:1768	B18.2.4.1M/ B18.2.2	B 1181
Special Products	800/830 (8.8) 1,040 (10.9)		M5 to M42	1/4" to 1"	6mm to 400mm	3/8" to 12"	As per customer specifications					



THREAD SIZE COMPARISION

METRIC PRODUCTS					UNIFIED INCH PRODUCTS					B.S. INCH PRODUCTS						
SIZE	THREAD PITCH & T.P.I.				Major Dia.		SIZE	T.P.I.		Major Dia.	SIZE	T.P.I.		Major Dia.	T.P.I.	Major Dia.
	COARSE		FINE					UNC	UNF			BSW	BSF			
	PITCH mm	T.P.I.	PITCH mm	T.P.I.	mm	inch			inch			inch		inch		
M3	0.50	51.00			3.00	0.118	#5	40	44	0.1250		40		0.125		
							#6	32	40	0.138	5BA				43.1	0.126
							#8	32	36	0.164	4BA				38.5	0.142
M4	0.70	36.00			4.00	0.157	#8	32	36	0.164	3BA				34.8	0.161
M5	0.80	32.00			5.00	0.197	#10	24	32	0.190	3/16"	24	32	0.187		
											2BA				31.3	0.185
											1BA				28.2	0.209
M6	1.00	25.00			6.00	0.236	1/4"	20	28	0.250	OBA				25.4	0.236
											1/4"	20	26	0.250		
M8	1.25	20.00	1.00	25	8.00	0.315	5/16"	18	24	0.313	5/16"	18	22	0.313		
M10	1.50	17.00	1.25	20	10.00	0.394										
			1.00	25	10.00	0.394	3/8"	16	24	0.375	3/8"	16	20	0.375		
							7/16"	14	20	0.438						
M12	1.75	14.50	1.50	17	12.00	0.472										
			1.25	20	12.00	0.472	1 / 2"	13	20	0.500	1 / 2"	12	16	0.500		
(M14)	2.00	12.50	1.50	17	14.00	0.551										
M16	2.00	12.50	1.50	17	16.00	0.630	5/8"	11	18	0.625	5/8"	11	14	0.625		
(M18)	2.50	10.00	1.50	17	18.00	0.709										
M20	2.50	10.00	1.50	17	20.00	0.787	3/4"	10	16	0.750	3/4"	10	12	0.750		
M22	2.50	10.00	1.50	17	22.00	0.866	7/8"	9	14	0.875	7/8"	9	11	0.875		
M24	3.00	8.50	2.00	13	24.00	0.945	1"	8	12	1.000	1"	8	10	1000		
					24.00	0.945										
M27	3.00	8.50			27.00	1.060	1.1/8"	7	12	1.125	1.1/8"	7	9	1.125		
M30	3.50	7.30			30.00	1.181	1.1/4"	7	12	1.250	1.1/4"	7	9	1.250		
M33	3.50	7.30			33.00	1.299										
M36	4.00	6.30			36.00	1.417	1.1 / 2"	6	12	1.500	1.1/2"	6	8	1.500		
M42	4.50	5.60			42.00	1.653										

SHCS of size above 1" are either as per ANSI B 18.3

Important Notification :

Surface Finish : All the Products, unless otherwise ordered specially, are supplied in black thermal finish with a coat of rust preventive oil.
The price, specification and other particulars contained in this Price List are subject to change without notice.

Plating :

We recommends that no plating should be carried out on Socket Head products & do not stand any guarantee, as plating adds embrittlement to the strength level of product & configuration which may lead to failures in use.

प्रारूप आरजी - 2
Form RG - 2



भारत सरकार
Government of India
व्यापार चिन्ह रजिस्ट्री
Trade Marks Registry
व्यापार चिन्ह अधिनियम, 1999
Trade Marks Act, 1999

क्रमांक
No. 1880109

व्यापार चिन्ह के रजिस्ट्रीकरण का प्रमाणपत्र, धारा 23 (2), नियम 56 (1)
Certificate of Registration of Trade Mark, Section 23 (2), Rule 56 (1)

व्यापार चिन्ह संख्या / Trade Mark No. 3593039

दिनांक /Date 17/07/2017

ज. संख्या /J. No. 1833

यह प्रमाणित किया जाता है कि जिस प्रकार चिन्ह की समाकृति इसके साथ संलग्न है, वह
के बारे में दिनांकनाम से रजिस्ट्रीकृत हो चुका है।

Certified that Trade Mark / a representation is annexed hereto, has been registered in the name(s) of :-
ATUL DOSHI (INDIAN NATIONAL, PROPRIETOR), TRADING AS GELFIT FASTENERS, 97, Narayan Dhuru Street, Mumbai - 400003,
Maharashtra, Proprietorship Concern, (Single Firm)

In Class 6 Under No. 3593039 as of the date 17 July 2017 in respect of

Nuts, bolts, fasteners, screws, washers, anchors of metal

GFL1

मेरे निर्देश पर आज के मास के वे दिन को इस पर मुद्रा लगायी गई

Sealed at my direction, this 06th day of June, 2018



OkSupti

व्यापार चिन्ह रजिस्ट्री
Trade Marks Registry MUMBAI

व्यापार चिन्ह रजिस्ट्रार
Registrar of Trademarks

रजिस्ट्रीकरण आवेदन की तारीख से 10 वर्ष के लिए है और तदोपरंत वह 10 वर्ष की कालावधि के लिए और प्रत्येक 10 वर्ष की कालावधि के अवसान पर भी नवीनीकृत किया जा सकेगा।

Registration is for 10 years from the date of application and may then be renewed for a period of 10 years and also at the expiration of each period of 10 years.

यह प्रमाणपत्र विधि कार्यवाहियों में प्रयोग के लिए या विदेश में रजिस्ट्रीकरण अभिप्राप्त करने के लिए नहीं है।

This certificate is not for use in legal proceedings or for obtaining Registration abroad.

टिप्पणी - इस व्यापार चिन्ह के स्वामित्व में कोई परिवर्तन होने पर, या कारोबार के मुख्य स्थान के पते में या भारत में तागील के लिए पते में परिवर्तन होने पर परिवर्तन के लिए आवेदन तुरंत किया जाना चाहिए।

Note: Upon any change of ownership of this Trademark, or change in address, of the principal place of business or address for service in India a request should AT ONCE be made to register the change.

Gel Fasteners

FIX IT • TIGHT IT • FORGET IT

SOLD TO



23 COUNTRIES

Exporters / Importers / Distributors / Stockist

Best Price for Imported Self Drilling Screws • Dry Wall Screws

• Chip Board Screws on request



» **HEX NUTS**

» **BOLTS**

» **ALLEN CAPS**

» **GRUB SCREWS**

» **ALLEN CSK**

» **THRU BOLTS**

» **WING NUTS**

» **NYLOCK NUTS**

» **RIVET NUTS**

» **FLANGE NUTS**

» **DOME NUTS**

» **SPRING WASHERS**

» **SELF DRILLING**

SCREWS

Export to



Australia
Austria
Brazil
Czech Republic
Denmark
Egypt
Finland
France



Germany
Italy
Norway
Poland
Portugal
Slovakia
South Africa
South Korea



Spain
Sri Lanka
Sweden
Turkey
U.A.E.
United Kingdom
USA

Best Quality
Lowest Price
Fastest Delivery

GUARANTEE

INDUSTRIES WE SERVED



OEM



HVAC



OIL & GAS




AGRICULTURE




AUTOMOBILES




CONSTRUCTION




PCB ASSEMBLY



PETRO CHEMICAL



FOOD PROCESSING



HOME APPLIANCES



POWER & RENEWABLE ENERGY



ROAD CRASH BARRIERS



Catalogue Barcode



Gel Fasteners

READY STOCK

Exporters / Importers / Distributors / Stockist



Website Barcode

Kunal Doshi

 : 08879256979
: 08369321424

Atul Doshi

 : 09821294567
: 09324212481

K-5, Unit No. 14 & 15, Jai Shriram Complex, Dapode Road,
Near Mankoli Naka, Bhiwandi - 421 302.

E-mai: gelexim@hotmail.com • omgautamimports8@gmail.com

www.gelfasteners.com